

IBM Software Group

IDS 11.5 Virtualization and Cloud Computing

Information Management

Informix.
software



Alexander Koerner, InfoMgmt Technical Sales – Informix
Alexander.Koerner@de.ibm.com

Consulting IT-Specialist, IBM Germany (Munich)

Agenda

- **Virtualization**
- IDS Virtual Appliance
- Amazon Elastic Compute Cloud (EC2)
- Using the IDS VA in Amazon's EC2
- Additional Information

Virtualization - Overview

- 40 years ago IBM first introduced the concept of virtualization.
- Virtualization is becoming more popular in recent years due to its
 - Additional flexibility
 - Optimal system resource utilization
- The virtualization technology is a software solution for the difficult task of managing hardware resources and computing environments:
 - Independent and isolated virtual computing environments for simplicity and flexibility
 - Multiple computing environments on a single or a pool of systems for better hardware resources utilization
 - Preconfigured computing environments for rapid application deployment.

Virtualization - Virtualization Technologies

■ Platform virtualization

- VMware ESX
- IBM PowerVM, z/VM
- HP VME, HPVM
- Sun Solaris Zones
- Xen

■ Resource virtualization


- IBM Storage virtualization

■ Desktop virtualization

- VMware Workstation, Fusion
- Sun VDI
- QEMU

■ Future open standard: Open Virtual Machine Format (OVF)


- A platform independent, efficient, extensible, and open packaging and distribution format for virtual machines.
- Allows the user to deploy this virtual machine in any hypervisor that supports OVF.



Virtualization - Virtual Machine and Virtual Appliance


■ Virtual Machine

- An isolated software that contains all the virtualized hardware resources (cpu, memory, network and storage) which requires the installation of an operating system and required software stack.



■ Virtual Appliance


- A unified offering of just enough operating system (“JeOS”) and an application stack pre-installed, integrated and tested for a specific purpose or intent



Virtualization - Options to deploy virtual machines


▪ Desktop

- Deploy your virtual machines and virtual appliances to desktop environments to enhance desktop optimization and versatility using desktop virtualization products;




▪ Enterprise

- Deploy your virtual machines and virtual appliances to consolidated server environments in your business to enhance IT center optimization, versatility and manageability using virtual infrastructure products;



▪ Cloud

- Deploy your virtual machines and virtual appliances to emerging cloud computing environments to extend your IT center reach and simplify deployment and manageability;



Agenda

- Virtualization
- **IDS Virtual Appliance**
- Amazon Elastic Compute Cloud (EC2)
- Using the IDS VA in Amazon's EC2
- Additional Information


The IDS Virtual Appliance - Purpose and Definition

- The Informix Dynamic Server (IDS) Virtual Appliance combines a robust database server, application stack, operating system and hardware resources to...
 - Develop and deploy new applications
 - Create IDS demonstrations and presentations
 - Develop and test applications

Informix Dynamic Server
Variety of Software Product and Utilities

SUSE® Linux® Enterprise Server 10 SP2
SLES 10 SP2


VM Configuration and Resources
CPU – Memory – Network - Storage



The IDS Virtual Appliance - Application Layer

Informix Dynamic Server Variety of Software Product and Utilities

- **Informix Dynamic Server 11.50.xC3**
 - Pre-Installed
 - Pre-Configured Instance and MACH11 Cluster
 - Pre-Tested
 - Ready to Run
- **Additional Informix and IBM Products**
 - IBM Informix Client SDK 3.50.xC3
 - IBM Informix JDBC Driver 3.50.xC3
 - IBM Informix Spatial DataBlade 8.21.UC2
 - IBM Informix Web DataBlade 4.13.UC3
 - IBM Data Server Driver for JDBC/SQLJ
 - IBM Data Server Driver for ODBC/CLI
 - IBM OpenAdmin Tool for IDS 2.22
 - IBM Data Studio Developer 1.1.2



The IDS Virtual Appliance - Operating System Layer

**SUSE® Linux® Enterprise Server 10 SP2
SLES 10 SP2**

▪ Base Operating System


- Pre-Installed SUSE® Enterprise Server 10 SP2
- Pre-Configured Devices and X Window Manager
- Pre-Tested
- Ready to Run

▪ Additional Tools and Utilities

- C and C++ Compilers (gcc 4.1.2)
- GNU gdb 6.6
- IBM JDK 1.5
- Firefox 2.0

▪ VMware Tools package

- Improves the graphical performance for different guest operating systems.
- Enables integration between the guest and host.



The IDS Virtual Appliance - Virtual Machine Resources

VM Configuration and Resources CPU – Memory – Network - Storage

▪ CPU

- CPU time is not configurable for IDS va when running as a desktop application

▪ Memory


- IDS va uses 768MB memory by default, but it can be configured to use different amount of memory depending on the total size of physical RAM available on the system

▪ Network

- Two network adapters are configured:
 - Host-only with a static IP address 192.168.179.100
 - NAT for sharing the host's IP address.

▪ Storage

- 12 GB (maximum size) pre-configured and compressed virtual disk mounted as /.
- 40 GB compressed virtual disk mounted as /data.




The IDS Virtual Appliance – Use Cases

- Perfect Foundation for portable ISV Solutions
 - Create your own portable solution stack
 - VMware environments can be found on all major platforms (Windows, Linux, Mac OS X)
 - Develop once, deploy on multiple platforms
- Out-of-the-Box pre-configured IDS 11.50 Environment for ISV Solutions in sub capacity license situations
- IDS Virtual Appliances can be used as instant High Availability nodes (HDR, RSS)
- Great Training and Demo environment to easily get started with IDS 11.50
 - Free IDS 11.50 Developer Edition available
- Easy entry into Cloud Computing with IDS

Obtaining and using the IDS VA

■ Download Location on ibm.com

- https://www14.software.ibm.com/webapp/iwm/web/reg/download.do?source=swg-informixfpd&S_PKG=d1
- Requires IBM Internet ID and Password




Agenda

- Virtualization
- IDS Virtual Appliance
- Amazon Elastic Compute Cloud (EC2)
- Using the IDS VA in Amazon's EC2
- Additional Information

Informix in the Amazon Cloud



- Partnership with Amazon Web Services
- Quickly get started using IDS
- IDS Developer Edition cloud image (AMI) available now
- Paid 32 & 64-bit IDS editions coming soon
- Pay as you go licensing model to deploy IDS in the cloud




Amazon Web Services (AWS)

- **Amazon Web Services are a set of services that provide Amazon's ready-to-use computing infrastructures with the characteristics of cloud computing over internet:**
 - Amazon Elastic Compute Cloud (EC2) for resizable computing capacity
 - Amazon Simple Storage Service (S3) for data storage
 - Amazon SimpleDB (SDB) for structured datasets
 - Amazon Simple Queue Service (SQS) for messaging


Amazon Machine Image (AMI)

- An **A** **m** **a** **z** **o** **n** **M** **a** **c** **h** **i** **n** **e** **I** **m** **a** **g** **e** is an encrypted machine image that contains all of the information necessary to boot instances of your software.
- AMIs are stored in Amazon S3
- Types of AMI:
 - Public AMIs
 - Available to public in EC2
 - Downloadable from the Amazon Resource Center
 - Can be used as a base to create custom private AMIs.
 - Private AMIs
 - Owned and accessed only by individuals.
 - Paid AMIs
 - Must order them before use
 - Come with service contracts from vendors.



Amazon Elastic Compute Cloud (EC2) - Overview

- **Amazon Elastic Compute Cloud (EC2) is an on-demand web service that provides a resizable commercial computing capacity:**
 - Elastic
 - Flexible
 - Fully controlled
- **Amazon EC2 works jointly with Amazon Simple Storage Service (S3), another web service offered for storage over internet.**



Amazon Elastic Compute Cloud (EC2) - Functionality

- Create and launch your instances with a variety of operating systems
- Load you instances with pre-installed, pre-configured, and pre-tested application stack.
- Control your instance security and network's access
- Run your image using as many or few systems as you desire.
- Pay only for the resources that you actually consume


Amazon Elastic Compute Cloud (EC2) - Benefits

- No infrastructure investment
- Zero maintenance infrastructure
- Dynamic computing capacity
- Better resource utilization
- Actual-consume-based cost


Agenda

- Virtualization
- IDS Virtual Appliance
- Amazon Elastic Compute Cloud (EC2)
- **Using the IDS VA in Amazon's EC2**
- Additional Information

Getting Started with IDS on Amazon's EC2




Good practice: To reduce costs, the instances launched should be terminated whenever you don't need them.




Using IDS va in Amazon EC2 - Converting IDS va to EC2 AMI

- **Modifying the IDS VA image to be compatible with EC2.**
 - OS configuration
 - Removal of VMware Tools
 - Application configuration
- **Bundling the modified IDS VA image**
 - The modified IDS va needs to be bundled as an AMI to be used under EC2
- **Uploading the bundled AMI to Amazon S3**
 - Bundled AMIs needs to be uploaded to Amazon S3 so that it can be accessed by Amazon EC2.
- **Registering the new IDS va AMI image**
 - An AMI ID will be assigned to the AMI after the registration.




Getting Started with Amazon EC2 - Find IDS VA AMI

Selecting Community AMIs:



The screenshot shows the 'Launch Instances' console with the 'Community AMIs' tab selected. The 'Community AMIs' tab is circled in red. Below the tabs, a list of AMIs is displayed, including 'Getting Started on Fedora Core 8', 'Ruby on Rails Web Starter', 'LAMP Web Starter', 'Basic Fedora Core 8', 'Basic 64-bit Fedora Core 8', and 'Getting Started on Microsoft Windows Server 2003'. Each entry has a 'Select' button.

Entering "ids" in the left-most blank field:



The screenshot shows the 'Launch Instances' console with the 'Community AMIs' tab selected. The search filter 'ids' is entered in the left-most field, which is circled in red. The table below shows the filtered results:

AMI ID	Manifest	Platform	Select
ami-0fee096f	IBM_IDS_Developer_11.5_v122_12/image.manifest.xml	Other Linux	Select
ami-537b9f3	IBM_IDS_Workgroup_11.5_v122_6/image.manifest.xml	Other Linux	Select
ami-557b9f3	IBM_IDS_Express_11.5_v122_6/image.manifest.xml	Other Linux	Select

Getting Started with Amazon EC2 - Launch from an AWS Console

Entering 1 for number of instances and selecting Key Pair Name:

Launch Instances

CHOOSE AN AMI CREATE KEY PAIR CONFIGURE FIREWALL LAUNCH

Please review the information below, then click Launch.

AMI Name: Other Linux (ami-5b7b9f32, i386) Change

Number of Instances: 1

Instance Type (32 bit): Small (m1.small) High-CPU Medium (c1.medium)

Key Pair Name: ids2kp Create

Security Groups: default (Selected groups: default) Create

Show advanced options

Launch Required field

Entering "ids" in the left-most blank field:

My Instances

Launch Instances Reboot Terminate Connect Output Password Bundle

Viewing: All Instances

Instance	AMI ID	Security Grou	Type	Status	Public DNS	Key Pair Name
i-81fb7ae8	ami-5b7b9f32	default	m1.small	starting		ids2kp

My Instances


Launch Instances Reboot Terminate Connect Output Password Bundle

Viewing: All Instances

Instance	AMI ID	Security Grou	Type	Status	Public DNS	Key Pair Name
i-81fb7ae8	ami-5b7b9f32	default	m1.small	running	ec2-174-129-172-143.c	ids2kp

Using IDS VA in Amazon EC2 - Configuring the Instance

- **IDS VA configuration**
 - Locale
 - Software license agreements
- **Amazon Web Services configuration**
 - Credentials
- **Elastic Block Storage (EBS) configuration**
 - Creating a new EBS volume
 - Mounting a pre-existing EBS volume
 - Using the instance's own internal volatile storage.
- **Amazon Web Services system configuration**
 - root
- **IDS users configuration**
 - informix, developer




Agenda

- Virtualization
- IDS Virtual Appliance
- Amazon Elastic Compute Cloud (EC2)
- Using the IDS VA in Amazon's EC2
- **Additional Information**

New IDS **Redbook!**

- **Covers all aspects of embedding IDS 11:**
 - Embeddability Basics
 - IDS Configuration for Embedding
 - Installation Strategies
 - **Extreme Small Footprint IDS Configurations**
 - Deployment
 - Administration Strategies
 - **IDS Appliances**
 - How to create an IDS Appliance from Scratch
- **Availability: Now!**
- **Download for free at:**
<http://www.redbooks.ibm.com/abstracts/sg247666.html>



The image shows the cover of an IBM Redbook titled "Embedding Informix Dynamic Server: An Introduction". The cover features the IBM logo at the top right. The title is prominently displayed in large, bold, black font. Below the title, there are three bullet points describing the book's content: "A full function, high performance, highly available relational DBMS", "Small footprint, and scalable to fit your environment", and "Very low administration requirements". The central graphic consists of two overlapping globes, one red and one white, with a black swoosh curving around them. At the bottom right, the authors' names are listed: Chuck Ballard, Oluwatosin Ajayi, Guy Bowerman, Alexander Koerner, Jacques Roy, and Dick Snoke. The "Redbooks" logo is at the bottom right, and the URL "ibm.com/redbooks" is at the bottom left.

IBM

Embedding Informix Dynamic Server: An Introduction

- A full function, high performance, highly available relational DBMS
- Small footprint, and scalable to fit your environment
- Very low administration requirements

Chuck Ballard
Oluwatosin Ajayi
Guy Bowerman
Alexander Koerner
Jacques Roy
Dick Snoke

Redbooks

ibm.com/redbooks



Thank You!